



Report ID: MSICFXZG6445067U3

MSDS

Ink Cartridge

Sample Name & Model

BT-2580P、BT-2581P、BT-2582P、BT-2583P、BT-2584P、BT-2585P、BT-2586P、BT-2580PL、BT-2581PL、BT-2582PL、BT-2583PL、BT-2584PL、BT-2585PL、BT-2586PL、BT-2580TL、BT-2580TL、BT-2581TL、BT-2582TL、BT-2583TL、BT-2584TL、BB22B、BB22M、BB22Y、BB22C、BB22G、BB22BT、BB22MT、BB22YT、BB22TC、BB22GT、BF22B、BF22C、BF22M、BF22Y、BF22G、BF22W、BF22S、BT22B、BT22C、BT22M、BT22Y、BT22G、BT22W、BT22S、TC22B、TC22C、TC22M、TC22Y、TC22G、TC22W、TC22S、BT22BT、BT22CT、BT22MT、BT22YT、BT22GT、BC800、BC800B、BC800C、BC800M、BC800Y、BC800G、BC800W、BC800S、BC810、BC820、BC830、BC840、BC850、BC860、BC870、BC890、BC880、BC880B、BC880C、BC880M、BC880Y、BC880G、BC880W、BC880S

Applicant

Zhuhai Bentsai Electronics Co., Ltd.

Address

2/F, Block B, Factory Building 1, 115 Huawei Road, Xiangzhou District, Zhuhai







声 Statement

- 1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
 - This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
- 2. 本报告页面所使用"PONY"、"谱尼"字样为本单位的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造"PONY"、"谱尼"商标均为违法侵权行为,本单位将依法追究其法律责任。

The words "PONY" and "镨尾" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "镨尾" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.

- 3. 委托单位对报告数据如有异议,请于报告完成之日起十五日内向本单位书面提出复测申请,同时附上报告原件并预付复测费。 If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report, with the original report attached and the retesting fee prepaid.
- 4. 不可重复性或不能进行复测的实验,不进行复测,委托单位放弃异议权利。
 If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the appliant shall waive the right of objection.
- 5. 委托单位必须保证送至本公司的样品及资料与真实的出运货物相一致,如有不符,所涉及的法律责任及其他后果均由委托单位自行承担。 The client must guarantee that samples and documents provided for appraisal are consistent with the goods to be transported. Otherwise, the client shall bear all legal responsibilities and other consequences due to it.
- 6. 本报告仅对所测样品的检测结果负责,检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所裁内容不能进行商业广告宣传使用,使用所产生的直接或间接损失及一切法律后果,本单位不承担任何经济和法律责任。

This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.

- 7. 本单位有权在完成报告后按规定方式处理所测样品,除客户特别声明并支付样品管理费,所有超过标准规定时效期的样品均不再做留样。 PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
- 8. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。 PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
- 9. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效,本单位将对上述行为严究其相应的法律责任。

Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

10. 本报告不考虑国家及经营人差异。

The certificate/report takes no account of the differences of countries and applicants.

▲防伪说明:

1.报告编号是唯一的;

The report number is unique.

2.扫描报告首页下方二维码或登录网站(http://www.ponytest.com/),即可查询报告真伪。

Scan the QR code below the first page or Log on to the website(http://www.ponytest.com/)to check the authenticity of the report.

哈尔滨实验室: (0451)58627755 成都实验室: (028)87702708 杭州实验室: (0571)87219096



W.FONTIEST.COM





北京实验室:(010)83055000 郑州实验室:(0371)69350670 成都谱尼计量实验室:(028)87702708 宁波实验室:(0574)87736499 北京谱尼科技公司:(010)80415661 郑州德尼职业卫生公司:(0371)80967099 贵州实验室:(0851)85221000 合肥实验室:(0551)63843474 北京谱尼计量实验室:(010)82492998 新疆实验室:(0991)6684186 上海实验室:(021)64851999 深圳实验室:(0755)26050909 青岛实验室:(0532)88706866 石家庄实验室:(0311)85376660 苏州实验室:(0512)62997900 深塘尼计量验验(0755)26050909-846 天津实验室:(022)23607888 西安实验室:(029)89608785 苏州汽车座桥实验室及儿童安全座桥 谱尼深圳通测:(0755)27673339 长春实验室:(0431)80530198 西安创尼总科技和限公司:(029)81123093 碰撞实验室:(0512)62997900 广州实验室:(020)89224310 沈阳实验室:(024)22811886 西安查德威克斯技术公司:(029)85729073 武汉实验室:(027)83997127 南宁实验室:(0771)5518818 大连实验室:(0411)87336618 呼和浩特实验室:(0471)3450025 武汉车附所:(027)82318175 厦门实验室:(0592)5568048



Report No.: MSICFXZG6445067U3 Date: 2024-09-24 Page 1 of 9

Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.10 (GHS)

Section 1 - Chemical Product and Company Identification

Chemical Product Identification

Sample Name: Ink Cartridge

Sample Model: BT-2580P、BT-2581P、BT-2582P、BT-2583P、BT-2584P、BT-2585P、BT-2586P、 BT-2580PL、BT-2581PL、BT-2582PL、BT-2583PL、BT-2584PL、BT-2585PL、BT-2586PL、 BT-2580T、BT-2580TL、BT-2581TL、BT-2582TL、BT-2583TL、BT-2584TL、BB22B、BB22M、 BB22Y、BB22C、BB22G、BB22BT、BB22MT、BB22YT、BB22TC、BB22GT、BF22B、BF22C、 BF22M、BF22Y、BF22G、BF22W、BF22S、BT22B、BT22C、BT22M、BT22Y、BT22G、 BT22W、BT22S、TC22B、TC22C、TC22M、TC22Y、TC22G、TC22W、TC22S、BT22BT、 BT22CT、BT22MT、BT22YT、BT22GT、BC800、BC800B、BC800C、BC800M、BC800Y、 BC800G、BC800W、BC800S、BC810、BC820、BC830、BC840、BC850、BC860、BC870、 BC890、BC880、BC880B、BC880C、BC880M、BC880Y、BC880G、BC880W、BC880S

Recommended Uses: N/A Restrictions on Use: N/A

Supplier Name: Zhuhai Bentsai Electronics Co., Ltd.

Address: 2/F, Block B, Factory Building 1, 115 Huawei Road, Xiangzhou District, Zhuhai

Phone Number: 13427715191

FAX: /

E-mail: huangzengxiang@bentsai.net Emergency Phone Number: 13427715191

Section 2 - Hazards Identification

Emergency overview: Black flammable liquid. Causes skin irritation and serious eye irritation, may cause drowsiness or dizziness.

Classification according to GHS

Flammable liquids (2)

Skin corrosion/irritation (2)


Serious eye damage/eye irritation (2)

Specific target organ toxicity, single exposure; Narcotic effects (3)

Label elements

Hazard pictogram(s):







Report No.: MSICFXZG6445067U3 Date: 2024-09-24 Page 2 of 9

Signal word:

Danger

Hazard statement(s):

H225 Highly flammable liquid and vapour

H315 Causes skin irritation

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

Precautionary statement(s):

Hazard statement(s):

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P264 + P265 Wash skin and clothing thoroughly after handling. Do not touch eyes.

P261 Avoid breathing gas, mist, vapours, spray.

P271 Use only outdoors or in a well-ventilated area.

Precautionary statement(s):

Prevention:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].

P370 + P378 In case of fire, use the appropriate type of fire extinguisher to extinguish the blaze.

P302 + P352 IF ON SKIN: Wash with plenty water.

P321 Specific treatment (See additional emergency instructions).

P332 + P317 If skin irritation occurs: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P317 If eye irritation persists: Get medical help.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P319 Get medical help if you feel unwell.

Storage


P403 + P235 Store in a well-ventilated place. Keep cool.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Send contents to approved waste treatment plants.







Report No.: MSICFXZG6445067U3 Date: 2024-09-24 Page 3 of 9

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11 Environmental hazards: See Section 12

Section 3 - Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Ethanol	64-17-5	200-578-6	68
2-Propanol, 1-methoxy-	107-98-2	203-539-1	20
1-Propanamine, 3-(trimethoxysilyl)-	13822-56-5	237-511-5	2
Aniline black	11099-03-9	601-023-4	10

Section 4 - First Aid Measures

Description of first aid measures

General information Normal use does not require special measures, industrial production in the long term, refer to the following:

After eye contact

Flush eyes with water.

After skin contact

Wash with water and soap.

After inhalation

Remove victim to fresh area.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: No data available.

Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: No data available.

Section 5 - Fire Fighting Measures

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment . Such as dry powder , CO₂.

(C) Hotline 400-819-5688 www.ponytest.com

(Hotline 400-819-5688 Pony Testing Group Shenzhen Co., Ltd.



Report No.: MSICFXZG6445067U3 Date: 2024-09-24 Page 4 of 9

Unsuitable extinguishing media: No data available.

Specific Hazards arising from the chemical: No data available.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Normal use does not require special measures, industrial production in the long term, refer to the following:

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Protective equipment:

No data available.

Emergency procedures:

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor-suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean, non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for later disposal.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Normal use does not require special measures, industrial production in the long term, refer to the following:

Precautions for safe handling:

Storage in a cold, dry, well ventilated environment. Store away from food and water supplies. Wash your hands thoroughly before eating and drinking. Storage of chemicals needed to prevent the generation and accumulation of static electricity when handling the container.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight. Keep container tightly sealed.

(Hotline 400-819-5688 Pony Testing Group Shenzhen Co., Ltd. www.ponytest.com

Address: 3/F. of Building 2, Building 1, Xinhaosheng Industrial Park, Yonghe Road, Qiaotou Community, Baoan District, Shenzhen, Guangdong, China Testing Address: 3/F. of Building 2, Building 1, Xinhaosheng Industrial Park, Yonghe Road, Qiaotou Community, Baoan District, Shenzhen, Guangdong, China



Report No.: MSICFXZG6445067U3 Date: 2024-09-24 Page 5 of 9

Section 8 - Exposure Controls/Personal Protection

Control parameters

CAS No.	ACGIH	NIOSH	OSHA
64-17-5	TLV-STEL 1000ppm	REL-TWA 1000ppm	PEL-TWA 1000ppm PEL-TWA 1900mg/m ³
107-98-2	TLV-TWA 50ppm TLV-STEL 100ppm		
13822-56-5 N/A		N/A	N/A
11099-03-9	N/A	N/A	N/A

Engineering control:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakages, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Colour: Black.

Physical State: Liquid.

Odour: Not available.

pH: 8.0 (25.5°C, 62%RH).

Melting point/freezing point: Not available.

Boiling point or initial boiling point and boiling range: >35°C.

(Hotline 400-819-5688 Pony Testing Group Shenzhen Co., Ltd.



Report No.: MSICFXZG6445067U3 Date: 2024-09-24 Page 6 of 9

Flash Point: 12.0°C (Closed cup).

Flammability: Flammable.

Solubility: Soluble in water.

Lower and upper explosion limit/flammability limit: Not available.

Auto-ignition temperature: Not available.

Decomposition temperature: Not available.

Kinematic viscosity: Not available.

Partition coefficient: n-octanol/water (log value): Not available.

Vapour pressure: Not available.

Density and/or relative density: Not available.

Relative vapour density: Not available.

Particle characteristics: Not available.

Section 10 - Stability and Reactivity

Chemical Stability: Stable.

Possibility of hazardous reaction: HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or

flames. Vapors may form explosive mixtures with air.

Conditions to Avoid: Heat, sparks or flames Incompatibilities Materials: No data available.

Hazardous Decomposition Products: Carbon oxide.

Section 11 - Toxicological Information

Acute Toxicity:

CAS No.	LC50/LD50	
64-17-5	LD50 Rat (oral): 9.9g/kg	
107-98-2	LD50 Rat (oral): 5113mg/kg; LD50 Rabbit (Dermal): 13000mg/kg; LC50 Rat (Inhalation: Vapours): >6mg/L	
13822-56-5 No data available.		
11099-03-9	No data available.	

Skin corrosion/irritation: No data available.

Serious eye damage/irritation: No data available.

Respiratory or Skin sensitization: No data available.

Germ Cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

(C) Hotline 400-819-5688

Pony Testing Group Shenzhen Co., Ltd.

Tel: 0755-26050909 Fax: 0755-26068336 THE PARTY OF THE P



Report No.: MSICFXZG6445067U3 Date: 2024-09-24 Page 7 of 9

Specific target organ toxicity-Single exposure: No data available. Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.

Information on the likely routes of exposure: No data available.

Eye: No data available. Skin: No data available.

Ingestion: No data available. Inhalation: No data available.

Section 12 - Ecological Information

CAS# 64-17-5

Ecological Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative Potential: Bioconcentration in aquatic organisms is low. (BCF:3, Kow:-0.31)

Mobility in Soil: Expected to have very high mobility in soil. (Koc. 2.75)

Other adverse effects: No data available.

CAS# 107-98-2

Ecological Toxicity:

LC50: >1000mg/L - fish (Rainbow trout) - 96h;

EC50: >500mg/L - Crustacea (Daphnia magna) - 48h;

EC50: >1000mg/L - algae (Pseudokirchneriella subcapitata) - 96h

Persistence and degradability: No data available.

Bioaccumulative Potential: Bioconcentration in aquatic organisms is low. (BCF: 3, K_{ow}: -0.49)

Mobility in Soil: Expected to have very high mobility in soil. (Koc: 1)

Other adverse effects: No data available.

Section 13 - Disposal Considerations

Disposal methods:


Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

Section 14 - Transport Information





Report No.: MSICFXZG6445067U3 Date: 2024-09-24 Page 8 of 9

UN or ID Number		
IATA	UN1210	
IMDG	UN1210	
Proper Shipping Name/Description	on	
IATA	Printing ink flammable	
IMDG	PRINTING INK flammable	
Class or Div. (Sub Hazard)		
IATA	3	
IMDG	3	
Packing Group		
IATA	II	
IMDG	П	
Hazard Label		
IATA		
IMDG	3	
Environmental hazards		
Marine pollutant:	No	
IMDG EmS:	F-E, S-D	
Special precautions for user	No information available.	

Transport Fashion: By air, by sea.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture


CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
64-17-5	Listed	Listed	Listed DSL	Listed
107-98-2	Listed	Listed	Listed DSL	Listed
13822-56-5	Listed	Listed	Listed DSL	Listed
11099-03-9	Listed	Listed	Listed DSL	Listed

Section 16 - Other Information

Issue Date: 2024-09-24

Issue Department: Technical department

Modification record: Notice to reader



(Hotline 400-819-5688 Pony Testing Group Shenzhen Co., Ltd.

Tel: 0755-26050909

Fax: 0755-26068336



Report No.: MSICFXZG6445067U3 Date: 2024-09-24 Page 9 of 9

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-short time exposure limit);

PC-TWA: (Permissible concentration-time weighted average);

IARC: (International Agency for Research on Cancer);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

IECSC: (Inventory of Existing Chemical Substances in China);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada);


IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations)

Approver: Chunmei Zhang

End of report



Address: 3/F. of Building 2, Building 1, Xinhaosheng Industrial Park, Yonghe Road, Qiaotou Community, Baoan District, Shenzhen, Guangdong, China Testing Address: 3/F. of Building 2, Building 1, Xinhaosheng Industrial Park,

Yonghe Road, Qiaotou Community, Baoan District, Shenzhen, Guangdong, China

